

# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 23.10.2015

Revision: 23.10.2015

## 1 . IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

**Product Name:** GENFARM METHOMYL 225 INSECTICIDE

**Other Means of Identification:** Mixture

**Recommended Use of the Chemical and Restriction on Use:** Agricultural insecticide

**Details of Manufacturer or Importer:**

Landmark Operations Limited  
Suite 3, Level 1, Building B  
11 Talavera Road  
Macquarie Park NSW 2113

**Phone Number:** 02 9889 5400

**Emergency telephone number:** National Poison Information Centre: 13 11 26

## 2 . HAZARDS IDENTIFICATION

**Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



flame

Flam. Liq. 2      H225 Highly flammable liquid and vapour.



skull and crossbones

Acute Tox. 2      H300 Fatal if swallowed.

Acute Tox. 3      H311 Toxic in contact with skin.

Acute Tox. 3      H331 Toxic if inhaled.



health hazard

STOT SE 1      H370 Causes damage to organs.



environment

Aquatic Acute 1      H400 Very toxic to aquatic life.

Aquatic Chronic 1      H410 Very toxic to aquatic life with long lasting effects.

**Signal Word** Danger

**Hazard Statements**

H225      Highly flammable liquid and vapour.

H300      Fatal if swallowed.

H311+H331      Toxic in contact with skin or if inhaled.

H370      Causes damage to organs.

H410      Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)

# SAFETY DATA SHEET

## According to Safe Work Australia

Printing date 23.10.2015

Revision: 23.10.2015

**Product Name: GENFARM METHOMYL 225 INSECTICIDE**









(Contd. of page 1)

**Precautionary Statements**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P240	Ground/bond container and receiving equipment.
P242	Use only non-sparking tools.
P273	Avoid release to the environment.
P243	Take precautionary measures against static discharge.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P321	Specific treatment (see on this label).
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P330	Rinse mouth.
P370+P378	In case of fire: Use for extinction: CO <sub>2</sub> , powder or water spray.
P391	Collect spillage.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

### 3 . COMPOSITION AND INFORMATION ON INGREDIENTS

**Chemical Characterization: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

Hazardous Components:		
67-56-1	Methanol  Flam. Liq. 2, H225;  Acute Tox. 3, H301;  Acute Tox. 3, H311;  Acute Tox. 3, H331;  STOT SE 1, H370	59.3%
16752-77-5	methomyl  Acute Tox. 2, H300;  Aquatic Acute 1, H400;  Aquatic Chronic 1, H410	22.5%

**Additional information:**

The Australian Acceptable Daily Intake (ADI) for methomyl for a human is 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 1.25 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing, 'ADI List', TGA, September 2006).

### 4 . FIRST AID MEASURES

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

(Contd. on page 3)

# SAFETY DATA SHEET

## According to Safe Work Australia

Printing date 23.10.2015

Revision: 23.10.2015

**Product Name: GENFARM METHOMYL 225 INSECTICIDE**

(Contd. of page 2)

**Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek immediate medical attention.

**Eye Contact:**

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention.

**Ingestion:**

If swallowed, and medical assistance is not immediately available, give one atropine tablet (0.6 mg) every five minutes until dryness of the mouth occurs. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

**Information for Doctor:** An anticholinesterase compound.

**Symptoms Caused by Exposure:**

**Inhalation:** Toxic if inhaled. May cause headache, dizziness and possible nausea. Inhalation of high concentrations of vapour can cause CNS depression, loss of coordination, impaired judgement and unconsciousness.

**Skin Contact:** Toxic in contact with skin. Symptoms may be similar to those of ingestion.

**Eye Contact:** May cause irritation and pupil constriction.

**Ingestion:** Fatal if swallowed. Causes headache, dizziness, weakness, anxiety, nausea, salivation, tearing, abdominal cramps, vomiting, sweating, diarrhea, respiratory difficulty, pulmonary oedema, cyanosis, convulsions, coma and heart block.

## 5 . FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:** Water fog, foam, carbon dioxide or dry chemical. Do not use water jet.

**Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon, nitrogen and sulphur.

Product is flammable liquid. Vapours may travel considerable distances to a source of ignition where they can ignite, flashback, or explode.

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

**Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

## 6 . ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear approved respiratory protection and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

**Methods and Materials for Containment and Cleaning Up:**

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools. Neutralise spill area and tools and equipment with a bleach or caustic/soda ash solution.

## 7 . HANDLING AND STORAGE

**Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be

(Contd. on page 4)

# SAFETY DATA SHEET

## According to Safe Work Australia

Printing date 23.10.2015

Revision: 23.10.2015

**Product Name: GENFARM METHOMYL 225 INSECTICIDE**

(Contd. of page 3)

stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep in original container tightly closed when not in use. Protect from direct sunlight, heat, sparks, open flames and other sources of ignition. Keep away from strong alkalis and alkaline materials. Do not store with seed, fertilisers or food.

### 8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Exposure Standards:****16752-77-5 methomyl**NES | TWA: 2.5 mg/m<sup>3</sup>**67-56-1 Methanol**

NES	STEL: 328 mg/m <sup>3</sup> , 250 ppm TWA: 262 mg/m <sup>3</sup> , 200 ppm Sk
-----	---

**Engineering Controls:**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

**Respiratory Protection:**

If use conditions generate vapours or mists use approved half piece respirator with combined dust and gas cartridge (canister). See Australian Standards AS/NZS 1715 and 1716 for more information.

**Skin Protection:**

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

**Eye and Face Protection:**

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337.

### 9 . PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:****Form:** Liquid**Colour:** Blue**Odour:** Sulfur-like**Odour Threshold:** No information available**pH-Value:** No information available**Melting point/Melting range:** No information available**Initial Boiling Point/Boiling Range:** No information available**Flash Point:** 21 °C**Flammability:** Highly flammable.**Auto-ignition Temperature:** No information available**Decomposition Temperature:** No information available**Explosion Limits:****Lower:** No information available

(Contd. on page 5)

# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 23.10.2015

Revision: 23.10.2015

**Product Name: GENFARM METHOMYL 225 INSECTICIDE**

(Contd. of page 4)

<b>Upper:</b>	No information available
<b>Vapour Pressure:</b>	No information available
<b>Relative Density at 20 °C:</b>	0.9 g/cm <sup>3</sup>
<b>Vapour Density:</b>	No information available
<b>Evaporation Rate:</b>	No information available
<b>Solubility in Water at 25 °C:</b>	58 g/l (methomyl)

## 10 . STABILITY AND REACTIVITY

**Possibility of Hazardous Reactions:** Hazardous polymerisation will not occur.

**Chemical Stability:** Stable at ambient temperature and under normal conditions of use.

**Conditions to Avoid:** Heat, sparks, open flames, hot surfaces and direct sunlight.

**Incompatible Materials:** Strong alkalies and alkaline materials.

**Hazardous Decomposition Products:** Oxides of carbon, nitrogen and sulphur.

## 11 . TOXICOLOGICAL INFORMATION

**Toxicity:**

**LD<sub>50</sub>/LC<sub>50</sub> Values Relevant for Classification:**

**16752-77-5 methomyl**

Oral	LD <sub>50</sub>	17 mg/kg (rat)
------	------------------	----------------

**67-56-1 Methanol**

Oral	LD <sub>50</sub>	5628 mg/kg (rat)
------	------------------	------------------

Dermal	LD <sub>50</sub>	15800 mg/kg (rabbit)
--------	------------------	----------------------

Inhalation	LC <sub>50</sub> /4 h	83.8 mg/l (rat)
------------	-----------------------	-----------------

**Acute Health Effects**

**Inhalation:**

Toxic if inhaled. May cause headache, dizziness and possible nausea. Inhalation of high concentrations of vapour can cause CNS depression, loss of coordination, impaired judgement and unconsciousness.

**Skin:** Toxic in contact with skin. Symptoms may be similar to those of ingestion.

**Eye:** May cause irritation and pupil constriction.

**Ingestion:**

Fatal if swallowed. Causes headache, dizziness, weakness, anxiety, nausea, salivation, tearing, abdominal cramps, vomiting, sweating, diarrhea, respiratory difficulty, pulmonary oedema, cyanosis, convulsions, coma and heart block.

**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.

**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.

**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.

**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.

**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.

**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Causes damage to organs through prolonged or repeated exposure.

(Contd. on page 6)

# SAFETY DATA SHEET

## According to Safe Work Australia

Printing date 23.10.2015

Revision: 23.10.2015

**Product Name: GENFARM METHOMYL 225 INSECTICIDE**

(Contd. of page 5)

**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.**Chronic Health Effects:**

Prolonged contact with the concentrate can cause defatting of the skin and may result in dermatitis.

**Existing Conditions Aggravated by Exposure:** No information available**12 . ECOLOGICAL INFORMATION****Ecotoxicity:** Toxic to bees. Toxic to birds.**Aquatic toxicity:****16752-77-5 methomyl**

EC50 / 40 h 0.032 mg/L (daphnia)

LC50 / 96 h 0.9 mg/L (bluegill)

3.4 mg/L (rainbow trout)

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

**Persistence and Degradability:**

Half-life in surface water is estimated at 6 days. Estimated half-life in ground water is more than 25 weeks.

**Bioaccumulative Potential:** Methomyl does not bio accumulate.**Mobility in Soil:** Low persistence in soil. Half-life in soil is approximately 14 days.**13 . DISPOSAL CONSIDERATIONS****Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

**14 . TRANSPORT INFORMATION**

<b>UN Number</b>	UN2758
<b>Proper Shipping Name</b>	CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flash point less than 23 °C
<b>Dangerous Goods Class</b>	
<b>ADG Class:</b>	3 (FT2) Flammable liquids.
<b>Subsidiary Risk:</b>	6.1
<b>IMDG Class:</b>	3 Flammable liquids.
<b>Packing Group:</b>	
<b>ADG, IMDG, IATA</b>	II
<b>Marine pollutant:</b>	Yes Symbol (fish and tree)
<b>EMS Number:</b>	F-E,S-D
<b>Hazchem Code:</b>	.3WE
<b>Special Provisions:</b>	61, 274
<b>Limited Quantities:</b>	1L
<b>Packagings &amp; IBCs - Packing Instruction:</b>	P001, IBC02
<b>Packagings &amp; IBCs - Special Packing Provisions:</b>	Not allocated

(Contd. on page 7)

# SAFETY DATA SHEET

## According to Safe Work Australia

Printing date 23.10.2015

Revision: 23.10.2015

**Product Name: GENFARM METHOMYL 225 INSECTICIDE**

(Contd. of page 6)

**Portable Tanks & Bulk Containers - Instructions:** T11**Portable Tanks & Bulk Containers - Special Provisions:**

TP2, TP13, TP27

### 15 . REGULATORY INFORMATION

**Australian Inventory of Chemical Substances:**

16752-77-5 | methomyl

67-56-1 | Methanol

**Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:**

Poisons Schedule: 7

### 16 . OTHER INFORMATION

**Date of Preparation or Last Revision:** 23.10.2015**Prepared by:** MSDS.COM.AU Pty Ltd[www.msds.com.au](http://www.msds.com.au)**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC<sub>50</sub>: Lethal concentration, 50 percentLD<sub>50</sub>: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

**Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Landmark Operations Limited makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.