

CAUTION

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

Genfarm Tebu-C 25 Seed Dressing

Active Constituents: 25 g/L TEBUCONAZOLE
4 g/L CYPERMETHRIN

GROUP	3	FUNGICIDE
--------------	----------	------------------

GROUP	3A	INSECTICIDE
--------------	-----------	--------------------

For control of bunt, flag smut and loose smut of wheat.
For control of covered and loose smut of barley.
For control of covered and loose smut of oats.
For protection against insect pests of stored grain.

IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE

Contents: 10 Litres
(5L, 20L, 110L)

Landmark Operations Limited
Suite 2, Level 3, 64 Talavera Road,
Macquarie Park,
NSW, 2113
Tel: (02) 9889 5400

STORAGE AND DISPOSAL

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemical on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

For refillable containers (110L and 1000L only): Empty containers fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with eyes. Wash hands after use.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet which is available from the supplier.

CONDITIONS OF SALE

The use of this product is beyond the control of Landmark Operations Limited. No warranty is expressed or implied regarding the suitability or efficiency for any purpose for which it is used by the buyer. Landmark Operations Limited accepts no responsibility for any consequences resulting from the use of this product. Landmark Operations Limited will not be held liable for any loss, injury or damage arising from the sale, supply or use of this product, whether through negligence or otherwise. No responsibility will be accepted for any consequences whatsoever resulting from the use of this product.

For Specialist advise in an Emergency Dial
1800 033 111
24 hours Australia wide.

Landmark Operations Limited
Suite 2, Level 3, 64 Talavera Road,
Macquarie Park,
NSW, 2113
Tel: (02) 9889 5400

Batch No:

DOM:

APVMA APPROVAL No:

5L - 59664/5/54257

10L - 59664/10/54257

20L - 59664/20/54257

110L - 59664/110/54257

CAUTION

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

Genfarm Tebu-C 25 Seed Dressing

Active Constituents: 25 g/L TEBUCONAZOLE
4 g/L CYPERMETHRIN

GROUP	3	FUNGICIDE
-------	----------	-----------

GROUP	3A	INSECTICIDE
-------	-----------	-------------

For control of bunt, flag smut and loose smut of wheat.
For control of covered and loose smut of barley.
For control of covered and loose smut of oats.
For protection against insect pests of stored grain.

IMPORTANT: READ THIS LEAFLET BEFORE USE

Landmark Operations Limited
Suite 2, Level 3, 64 Talavera Road,
Macquarie Park,
NSW, 2113
Tel: (02) 9889 5400

Directions for use

Restraint: Do NOT treat physically damaged seed.

Crop	Disease/Pest	Rate	Critical Comments
Wheat	Bunt, Flag smut (seed and soil borne) Loose smut	100 mL/100 kg seed	Genfarm Tebu-C 25 Seed Dressing should be mixed with water to give even coverage of seed. The quantity of water used for mixing will vary depending on type of equipment and quality of seed. Use a minimum of 400 mL of mixture (i.e. Genfarm Tebu-C 25 Seed Dressing plus water) with each 100 kg of seed. Do not use more than 600 mL of mixture (product + water) with each 100 kg of seed. Whatever dilution is used it is essential that 100 mL of Genfarm Tebu-C 25 Seed Dressing is applied/100 kg seed. The mixture should be gently stirred regularly. If nasal irritation occurs wear a face mask while treating seed.
Barley	Covered and loose smut		
Oats	Covered and loose smut		
Wheat Barley Oats	Protection against pests of stored grains: Granary weevil, Indian meal moth, Lesser grain borer, Rice weevil, Rust-red flour beetle, Sawtoothed grain beetle, Tropical warehouse moth		

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.

General Instructions

Genfarm Tebu-C 25 Seed Dressing may delay emergence of wheat. Crops will recover rapidly in most soils without any effect on yield. Sowing Genfarm Tebu-C 25 Seed Dressing treated wheat deeper than 50 mm may reduce plant establishment in heavier soils or soils that will crust or clod at the surface after sowing. Sowing rates may need to be adjusted accordingly.

Seed quality

Genfarm Tebu-C 25 Seed Dressing seed treatment should not be used on seed with more than 12% moisture content, or on sprung, sprouted, damaged or severely pinched seed, or seed of poor viability. If in doubt, have a germination test carried out on the seed before treatment to ensure that it is of acceptable standard.

Treating with Genfarm Tebu-C 25 Seed Dressing as directed will raise the moisture level of the seed by up to 0.6%, depending on weather conditions at treatment. The use of Genfarm Tebu-C 25 Seed Dressing mixed with water at recommended rates will have no effect on the storage life of treated sound seed.

Storage of treated seed

Treated seed may be held over for sowing in the following season. If so, additional insecticide treatment may be necessary. If the seed is not used immediately after treatment it should be stored in a dry, well-ventilated place. Although Genfarm Tebu-C 25 Seed Dressing has no effect on the viability of treated seed, subsequent germination can be adversely affected by poor storage conditions such as high moisture combined with high temperatures. No liability can therefore be accepted for the performance of stored treated seed.

Cleaning up

Equipment should be thoroughly cleaned with water. In the event of changing from this water based flowable formulation to a solvent-based liquid formulation, it is essential to rinse equipment with methylated spirits after thoroughly cleaning with water. If changing from a solvent-based liquid to this water based flowable thoroughly clean with methylated spirits then rinse with water. Failure to do so will result in clogging of equipment.

Precaution

Do not allow seed treated with this product to contaminate seed intended for human consumption. If possible, use a separate auger for treating seed. If using the same auger for treating seed and moving grain for human consumption, remove all Genfarm Tebu-C 25 Seed Dressing residues from the auger to avoid contaminating untreated seed with seed dressing residues.

FUNGICIDE RESISTANCE WARNING

GROUP	3	FUNGICIDE
--------------	----------	------------------

Genfarm Tebu-C 25 Seed Dressing is a member of the DMI group of fungicides. For fungicide resistance management the product is a Group 3 fungicide. Some naturally occurring individual fungi resistant to the product and other Group 3 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product and other Group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Landmark Operations Limited accepts no liability for any losses that result from failure of this product to control resistant fungi.

INSECTICIDE RESISTANCE WARNING

GROUP	3A	INSECTICIDE
--------------	-----------	--------------------

For insecticide resistance management Genfarm Tebu-C 25 Seed Dressing is a Group 3A insecticide.

Some naturally occurring insect biotypes resistant to Genfarm Tebu-C 25 Seed Dressing and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Genfarm Tebu-C 25 Seed Dressing or other Group 3A insecticides are used repeatedly. The effectiveness of Genfarm Tebu-C 25 Seed Dressing on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Landmark Operations Limited accepts no liability for any losses that may result from the failure of Genfarm Tebu-C 25 Seed Dressing to control resistant insects.

Genfarm Tebu-C 25 Seed Dressing may be subject to specific resistance management strategies. For further information contact your local supplier, Landmark Operations Limited representative or local agricultural department agronomist.

PROTECTION OF LIVESTOCK

Seed treated with this product must not be used for animal consumption or poultry feed or mixed with animal feed. Do NOT allow seed treated with this product to contaminate seed intended for animal consumption.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Do NOT feed treated seed or otherwise expose to wild or domestic birds.

Harmful to fish. Do NOT contaminate dams, rivers, ponds, waterways or drains with this product, used containers or bags which have held treated seed.

STORAGE AND DISPOSAL

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemical on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

For refillable containers (110L and 1000L only): Empty containers fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with eyes. Wash hands after use.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet which is available from the supplier.

CONDITIONS OF SALE

The use of this product is beyond the control of Landmark Operations Limited. No warranty is expressed or implied regarding the suitability or efficiency for any purpose for which it is used by the buyer. Landmark Operations Limited accepts no responsibility for any consequences resulting from the use of this product. Landmark Operations Limited will not be held liable for any loss, injury or damage arising from the sale, supply or use of this product, whether through negligence or otherwise. No responsibility will be accepted for any consequences whatsoever resulting from the use of this product.

For Specialist advise in an Emergency Dial
1800 033 111
24 hours Australia wide.

Landmark Operations Limited
Suite 2, Level 3, 64 Talavera Road,
Macquarie Park,
NSW, 2113
Tel: (02) 9889 5400