according to WHS Regulations

Printing date 29.11.2019 Revision: 29.11.2019

1 Identification

Product Name: GENFARM BROMO 200 HERBICIDE

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer:

Landmark Operations Limited Suite 3, Level 1, Building B,

11 Talavera Road,

Macquarie Park NSW 2113

Phone Number: 02 9889 5400

Emergency telephone number: National Poison Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Toxic To Reproduction 2 H361 Suspected of damaging fertility or the unborn child. Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Inhalation) 4 H332 Harmful if inhaled.

Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Flammable Liquids 4 H227 Combustible liquid.

Signal Word Danger

Hazard Statements

H227 Combustible liquid.

H332 Harmful if inhaled.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from flames and hot surfaces. No smoking.

(Contd. on page 2)

according to WHS Regulations

Printing date 29.11.2019 Revision: 29.11.2019

Product Name: GENFARM BROMO 200 HERBICIDE

(Contd. of page 1)

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P31	0 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P321	Specific treatment (see on this label).
P331	Do NOT induce vomiting.
P302+P35	2 IF ON SKIN: Wash with plenty of water.
P304+P34	0 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P31	3 IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER/doctor if you feel unwell.
P362+P36	4 Take off contaminated clothing and wash it before reuse.
P333+P31	3 If skin irritation or rash occurs: Get medical advice/attention.
P370+P37	8 In case of fire: Use to extinguish: CO2, powder or water spray.
P391	Collect spillage.
P403+P23	5 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:					
CAS: 64742-94-5	Solvent naphtha (petroleum), heavy arom.	>60%			
	♦ Aspiration Hazard 1, H304				
CAS: 1689-99-2	Bromoxynil octanoate (ISO)	20%			
	Acute Toxicity (Inhalation) 3, H331; Toxic To Reproduction 2, H361; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Toxicity (Oral) 4, H302; Skin Sensitisation 1, H317				

4 First Aid Measures

Inhalation

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Toxic if inhaled. Vapours may cause respiratory irritation, drowsiness and dizziness.

Skin Contact: May cause an allergic skin reaction and irritation.

Eye Contact: No adverse health effects expected.

Ingestion: May be fatal if swallowed and enters airways.

according to WHS Regulations

Printing date 29.11.2019 Revision: 29.11.2019

Product Name: GENFARM BROMO 200 HERBICIDE

(Contd. of page 2)

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen, other nitrogen compounds, hydrogen cyanide, bromine compounds and smoke.

Combustible liquid. Vapours are heavier than air and my accumulate in low-lying areas forming potentially explosive mixtures.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Wash spill area with plenty of water.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames, hot surfaces and direct sunlight. Keep away from strong oxidising agents.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls:

Respiratory Protection:

Use a Safe Work Australia approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Rubber or PVC gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and

(Contd. on page 4)

according to WHS Regulations

Printing date 29.11.2019 Revision: 29.11.2019

Product Name: GENFARM BROMO 200 HERBICIDE

(Contd. of page 3)

permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid

Colour:
Odour:
Odour Threshold:
PH-Value:
Melting point/freezing point:

Amber coloured
Hydrocarbon odour
No information available
No information available
No information available

Initial Boiling Point/Boiling Range: 175 - 210 °C Flash Point: 61 - 70 °C

Flammability: Product is not flammable.

Auto-ignition Temperature: No information available

Decomposition Temperature: No information available

Explosion Limits:

Lower: 0.6 % Upper: 7.0 %

Vapour Pressure: Negligible at normal ambient temperatures.

Relative Density: 1.03

Vapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: Emulsifiable.

Partition Coefficient (n-octanol/water): 5.4 log POW

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames, hot surfaces and direct sunlight.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products:

Oxides of carbon and nitrogen, other nitrogen compounds, hydrogen cyanide, bromine compounds and smoke.

11 Toxicological Information

Toxicity:

· Oxioity	i oxioity.		
LD₅₀/LC	LD ₅₀ /LC ₅₀ Values Relevant for Classification:		
CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.		94-5 Solvent naphtha (petroleum), heavy arom.	
Oral	LD ₅₀	5,000 mg/kg (rat)	
Dermal	LD ₅₀	2,000 mg/kg (rabbit)	

(Contd. on page 5)

according to WHS Regulations

Printing date 29.11.2019 Revision: 29.11.2019

Product Name: GENFARM BROMO 200 HERBICIDE

(Contd. of page 4)

CAS: 1	CAS: 1689-99-2 Bromoxynil octanoate (ISO)			
Oral	LD ₅₀	63 mg/kg (guinea pig)		
		190 mg/kg (rat)		
		260 mg/kg (rabbit)		
Dermal	LD ₅₀	>2,000 mg/kg (rabbit)		

Acute Health Effects

Inhalation: Toxic if inhaled. Vapours may cause respiratory irritation, drowsiness and dizziness.

Skin: May cause an allergic skin reaction and irritation.

Eye: No adverse health effects expected.

Ingestion: May be fatal if swallowed and enters airways.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Chronic Health Effects:

Chronic exposure may cause weight loss, fever, headaches, vomiting and urinary problems.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for bromoxynil for a human is 0.003 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 0.3 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2019).

12 Ecological Information

Ecotoxicity:

Bromoxynil is highly toxic to pheasants and moderately toxic to other birds. Bromoxynil is not toxic to bees.

LD50 50 mg/kg (Pheasants)

LD50 240 mg/kg (Hens)

LD50 100 mg/kg (Quails)

LD50 200 mg/kg (Mallard ducks)

Aquatic toxicity:

Very Toxic to aquatic life with long lasting effects.

CAS: 64742-94-5 Solvent naphtha (petroleum), heavy arom.
EC ₅₀ /48 h 12 mg/l (daphnia)
EC ₅₀ /72 h 2.5 mg/l (skeletonema costatum)

(Contd. on page 6)

according to WHS Regulations

Printing date 29.11.2019 Revision: 29.11.2019

Product Name: GENFARM BROMO 200 HERBICIDE

(Contd. of page 5)

LC_{so}/96 h | 45 mg/l (fathead minnow)

CAS: 1689-99-2 Bromoxynil octanoate (ISO)

LC_{so} | 0.46 mg/l (goldfish)
0.05 mg/l (rainbow trout)

Persistence and Degradability: Bromoxynil has low persistence in soil. Half-life in soil is about 10 days.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number

ADG Not regulated IMDG, IATA UN3082

Proper Shipping Name

ADG Not regulated

IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Bromoxynil octanoate (ISO))

Dangerous Goods Class

ADG Class: Not regulated

IMDG Class: 9 Miscellaneous dangerous substances and articles.

Packing Group:

ADG Not regulated

IMDG, IATA III

Marine pollutant: Yes

Symbol (fish and tree)

EMS Number: F-A,S-F

Hazchem Code: •3Z

Special Provisions: 274, 331, 335, 375, AU01

Limited Quantities: 5L

Packagings & IBCs - Packing Instruction: P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: PP1
Portable Tanks & Bulk Containers - Instructions: T4

Portable Tanks & Bulk Containers - Special

Provisions: TP1, TP29

(Contd. on page 7)

according to WHS Regulations

Printing date 29.11.2019 Revision: 29.11.2019

Product Name: GENFARM BROMO 200 HERBICIDE

(Contd. of page 6)

15 Regulatory Information

Australian Inventory of Chemical Substances: CAS: 64742-94-5 | Solvent naphtha (petroleum), heavy arom. CAS: 1689-99-2 | Bromoxynil octanoate (ISO)

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

16 Other Information

Date of Preparation or Last Revision: 29.11.2019

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

 LC_{50} : Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4 Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Acute Toxicity (Inhalation) 3: Acute toxicity – Category 3

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Toxic To Reproduction 2: Reproductive toxicity - Category 2

Aspiration Hazard 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Landmark Operations Limited makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.